

CHURCH & DWIGHT CO., INC.

Corporate Headquarters: 500 Charles Ewing Blvd, Ewing, NJ 08628

Main Phone: (609) 806-1200

GENERAL CERTIFICATION OF COMPLIANCE

Mouthwash

1. *Product(s) covered by this certificate:*

Orajel Toothache Rinse; Orajel Anticavity Fluoride Rinse; Orajel Antiseptic Rinse; Arm & Hammer Rinse

2. *CPSC Regulation(s) to which the product is certified:*

16 CFR:

Part 1700.14(a)(22) Substances requiring special packaging (Mouthwash)

Part 1700.15 Poison prevention packaging standards

3. *Manufacturer or U.S. Importer certifying compliance of product:*

**Church & Dwight Co., Inc., 500 Charles Ewing Blvd, Ewing, NJ 08628
609-806-1200**

4. *Contact for records of product test results:*

**Director, Global Quality
Church & Dwight Co., Inc., 469 North Harrison Street, Princeton, NJ 08543-5297
609-806-1200**

5. *Date and place of manufacture:*

Each product is identified with a lot code as follows:

- **1st and 2nd alpha digit represent the manufacturing plant**
- **1st numeric digit represents the year of manufacture**
- **Next 3 digits represent the day of manufacture**
- **Additional digits may indicate production line and time**

Please contact the individual in Box 4, if more information is needed.

6. *Date and place where this product was tested for compliance:*

Prior to market introduction, internal safety assessments are completed. Cautionary labeling is based on the conclusion of these safety assessments, which may be product specific and determined from the CPSC Regulations listed above.

7. *Identification of third party laboratory used for testing:*

**Bird Dog Marketing Group LLC
166 Farmington Lane
Lancaster, PA 17601**

Issue Date 12/16 V4

